SF670(P)

Mounting Pattern
895 x 450mm
(35.25" x 17.72")

Max Load
250lb
(113kg)

SMARTMOUNT®

Universal Flat Wall Mount

FOR 46" TO 90" DISPLAYS

Peerless-AV's SmartMount® Universal Flat Wall Mount delivers an ultra-slim profile designed to hold large displays up to 250lb. Installation and maintenance are made easy with the SF670's robust feature set. Auto-latching adaptor rails automatically secure the display without the use of a tool. The mount's built-in kickstand holds the display safely from the wall during cable routing, while the open wall plate allows for increased electrical and cable management options. Horizontal and vertical display adjustment allow for quick fine-tuning of the mounted display.

- Universal mount fits displays with mounting patterns up to 895 x 450mm (35.25" W x 17.72" H)
- Low-profile design holds display only 1.73" (44mm) from the wall
- Easy hang wall plate allows a bolt to be pre-installed to ease wall plate installation
- Lateral display adjustment up to 11.25" (286mm)
- 1" of post-installation vertical adjustment provides flexibility in the installation
- Includes fastener pack with all necessary mounting and display attachment hardware
- For mounts requiring theft resistant hardware, installed with security tool (included), please purchase SF670
- For mounts requiring standard hardware, installed with a Philips screwdriver, please purchase SF670P



OPEN & EASY TO HANG WALL PLATE
Total wall access reduces installation time and allows for increased electrical/cable management options

HORIZONTAL & VERTICAL ADJUSTMENT
Post-installation leveling and side-to-side adjustability features allow fine tuning of the mounted display for the perfect display positioning

AUTO-LATCHING ADAPTOR RAILS
Securely lock display in place with an audible click

QUICK-REMOVAL DRAW STRINGS
Leave on for easy access and maintenance to back of display or remove for a theft-resistant installation

BUILT-IN KICKSTANDS
Hold the display safely from the wall for cable routing and effortless maintenance

Low-profile design for a sleek, yet compact installation.

Comes in color packaging with included installation hardware and easy to follow instructions.

RoHS

jason.cohen@adcomm.com
www.adcommtv.com

peerless-AV®
Driving Technology Through Innovation

Model Numbers

WARRANTY: Limited 5-year

SF670P	SmartMount® Universal Flat Wall Mount for 46" to 90" Displays - Standard Models
SF670	SmartMount® Universal Flat Wall Mount for 46" to 90" Displays - Security Models

Product Specifications

	DIMENSIONS (W x H x D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
SF670(P)	37.75" x 19.48" x 1.73" (959 x 495 x 44mm)	13.21lb (6.00kg)	250lb (113kg)	Scratch Resistant Fused Epoxy	Semi-Gloss Black

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
SF670(P)	38.60" x 2.30" x 15.40" (980 x 58 x 390mm)	16.21lb (7.35kg)	SF670: 735029242192 SF670P: 735029242208	Wall Mount, Wall and Display Installation Hardware, Installation Instructions	1

Accessories

ACC615:	6-pack Metal Stud Fastener Kit
ACC309:	Video Conference Shelf
ACC-UCM:	Universal AV Component Mount
ESHV models:	AV Wall Shelves
IBA4-W:	Easy Mount Recessed Low Voltage Cable Plate

All dimensions = inch (mm)



WALL PLATE DETAIL



FRONT VIEW



SIDE VIEW



ADAPTOR DETAIL

Architect Specifications

The Smartmount® Universal Flat Wall Mount shall be a Peerless-AV model SF670(P) and shall be located where indicated on the plans. Assembly and installation shall be done according to instructions provided by the manufacturer.

Entertainment Delivered! adcommTV 866.272.7982 www.adcommtv.com

peerless-AV® Driving Technology Through Innovation

DS-VW765-LAND

Mounting Pattern
200 x 200 up to
700 x 400mm

Max Load
125lb
(56.8kg)

WINNER! The Best of infoComm sponsored by NEC

SMARTMOUNT®

Full-Service Video Wall Mount - Landscape

FOR 40" TO 65" DISPLAYS

Peerless-AV's Full-Service Video Wall Mount is easy to configure, quick to install and a snap to maintain. Create any configuration imaginable, but leave the tedious calculations to the custom wall plate spacers. The mount's innovative design is loaded with time-saving features like no-tool-required micro-adjustments and easy-access to any display for quick serviceability.

- Modular mount for unlimited video wall display configurations
- Displays and mounts sit flush against the wall for a clean side appearance
- Integrated cable management tie-backs make display-to-display cabling simple
- Included security hardware prevents the mount from extending out from the wall
- Adjustable VESA® mounting hole patterns in 100mm increments, starting at 200 x 200mm up to 700 x 400mm, additional patterns supported with adaptor plates



PULL-OUT/PROP-OPEN MECHANISM
Provides quick service access

REUSABLE CUSTOM WALL SPACERS*
Eliminate guesswork and on-site installation calculations

*Sold separately

OPEN WALL PLATE ARCHITECTURE
Allows for total wall access that increases electrical and cable management options

SPRING LOADED MECHANISM
Displays click securely into place against the wall

NO TOOLS REQUIRED FOR MICRO-ADJUSTMENT
Simple, tool-less micro-adjustments at 8 points seamlessly align the displays

Full-Service Access

Eliminate the guesswork during installation with the Peerless-AV® Video Wall Locator app.

jason.cohen@adcomm.com
www.adcommtv.com

peerless-AV®
Driving Technology Through Innovation

Model Number

WARRANTY: Limited 5-year

DS-VW765-LAND	SmartMount® Full-Service Video Wall Mount for 40"-65" Displays - Landscape

Product Specifications

	DIMENSIONS (W X H X D)	PRODUCT WEIGHT	LOAD CAPACITY	FINISH	AVAILABLE COLORS
DS-VW765-LAND	35.00" x 20.00" x 3.08"-3.83" (890 x 508 x 78-97mm)	33.0lb (15kg)	125lb (56.8kg)	Scratch Resistant Fused Epoxy	Black

Package Specifications

	PACKAGE SIZE (W x H x D)	PACKAGE SHIP WEIGHT	PACKAGE UPC CODE	PACKAGE CONTENTS	UNITS IN PACKAGE
DS-VW765-LAND	37.13" x 22.25" x 4.25" (943 x 565 x 108mm)	37.95lb (17.25kg)	735029278771	Wall Mount Assembly, Mounting Attachment Rails & Fasteners	1

Accessories

DS-VWS###:	Wall Plate Alignment Spacers
DS-ACC765:	Cable Release Kit
DS-ACC770:	Media Player Mounting Bracket
PLP-V models:	PLP Adaptor Plates

All dimensions = inch (mm)



WALL PLATE DETAIL



COMPONENT ACCESS



FRONT VIEW



SIDE VIEW COLLAPSED



SIDE VIEW EXTENDED

Architect Specifications

The SmartMount® Full-Service Video Wall Mount - Landscape shall be Peerless-AV model DS-VW765-LAND and shall be located where indicated on the plans. It shall be constructed of heavy gauge steel. The finish shall be scratch resistant black fused epoxy. Assembly and installation shall be done according to instructions provided by the manufacturer.

Entertainment Delivered! adcommTV 866.272.7982 www.adcommtv.com

peerless-AV® Driving Technology Through Innovation