

Personal Healthcare Smart Touch Screen TV

15LU766A

Provide your patients with the smart solution, 15.6" multi-touch based Arm TV, for a superior hospital experience. The 15LU766A series enables personalized interactive service with its multi-touch screen and webOS operating system, which is the optimal platform for Patient Engagement Providers in the industry. Its industrial panel is durable and will sustain long operation. The LG IPS panel technology provides great viewing angles for multiple viewers in a hospital environment.

Pro:Centric Information Management Solution
Pro:Centric SMART is optimized for customizing information and entertainment services through an IP & RF infrastructure.

Pro:Idiom
Securely provide entertainment content with Pro:Idiom DRM (Digital Right Management) which prevents illegal copying on your LG devices.





UV770M

- 55UV770M 55" Class (54.8" Diagonal)
- 49UV770M 49" Class (48.5" Diagonal)
- 43UV770M 43" Class (42.5" Diagonal)
- 1200:1 Aspect Ratio
- 3840 X 2160 (4K UHD)
- UL Hospital Grade Listed
- RoHS Compliant
- California Energy Commission (CEC) Compliant
- Built-in Pillow Speaker Port
- Built-in MPI Port
- First Use Wizard
- Remote Management of Television using Pro:Centric server
- Dynamic/Static Power Savings
- Multi IR Code Support
- Pro:Centric Direct
- Pro:Idiom
- b-LAN
- IPTV Capable



LV760M

- 32LV760M 32" Class (31.54" Diagonal)
- 28LV760M 28" Class (27.51" Diagonal)
- 24LV760M 24" Class (23.55" Diagonal)
- HD Resolution : 1920 x 1080 (32"/28"); 1366 x 768 (24")
- UL Hospital Grade Listed
- RoHS Compliant
- California Energy Commission (CEC) Compliant
- Built-in Pillow Speaker Port
- Built-in MPI Port
- First Use Wizard
- Remote Management of Television using Pro:Centric server
- Dynamic/Static Power Savings
- Multi IR Code Support
- No b-LAN (see UV770M)
- Pro:Centric Direct
- Pro:Idiom
- IPTV Capable



LV570M

- 43LV570M 43" Class (42.5" Diagonal)
- 32LV570M 32" Class (31.5" Diagonal)
- 28LV570M 28" Class (27.6" Diagonal)
- 24LV570M 24" Class (23.6" Diagonal)
- Resolution 1920 x 1080 (43"/32"); 1366 x 768 (28"/24")
- UL Hospital Grade Listed
- ENERGY STAR® Qualified
- RoHS Compliant
- California Energy Commission (CEC) Compliant
- Multi IR Code Support
- TV Speaker Disable
- Built-In Pillow Speaker Compatibility
- First Use Wizard
- Pro:Centric
- Pro:Idiom
- b-LAN