

Specifications

Danby Compact All Refrigerators

Glass

Danby Compact Refrigerators

	DAR017A2BDD	DAR010A1BDB	DAR016A1BDB	DAR022A1BSLDB	DAR026A1BDD/WDD	DAR033A1BDD/WDD	DAR044A4BDD/WDD	DAG016A1BDB	DAG026A1BDB	DCR016A3BDB	DCR031B1BSLDD	DCR032A2BSLDD/BDD/WDD	DCR044A2BSLDD/BDD/WDD
Capacity	1.7 cu. ft. (49 L)	1.0 cu. ft. (29 L)	1.6 cu. ft. (45 L)	2.2 cu. ft. (61 L)	2.6 cu. ft. (73 L)	3.3 cu. ft. (93.5 L)	4.4 cu. ft. (124 L)	1.6 cu. ft. (45.4 L)	2.6 cu. ft. (74.4 L)	1.6 cu. ft. (87.0 L)	3.1 cu. ft. (87.0 L)	3.2 cu. ft. (92.0 L)	4.4 cu. ft. (126 L)
Freezer Type/ Capacity	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Ice Compartment	True-zero degree freezer/0.87 cu. ft.	Ice Compartment /0.31 cu. ft.	Ice Compartment /0.45 cu. ft.
Exterior Color	■	■	■	■	■ □	■ □	■ □	■	■	■ □	■	■ □ ■	■ □ □
Interior Color	□	□	□	□	□	□	□	□	□	□	□	□	□
Reversible Hinge	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handle Type	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Full Shelves	1	0	1	1	2	1	2	2	3	0	1	1	2
Half Shelves	1	1	1	1	1	3	1	0	0	1	0	1	1
Door Shelves	1 ½ width	1 ½ width	1 ½ width	1 ½ width	2 ¾ width	1 full, 2 ¾ width	1 full, 2 ¾ width	N/A	N/A	1 ½ width	2 ¾ width	1 full, 2 ¾ width	1 full, 2 ¾ width
Crisper	No	No	No	No	No	No	No	No	No	Yes	Yes	No	No
Upright 2-liter bottle storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Canstor Beverage Dispenser	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Defrost	Automatic	Defrost Drain	Defrost Drain	Defrost Drain	Automatic	Automatic	Automatic	Defrost Drain	Defrost Drain	Cycle	Cycle	Semi-Automatic	Semi-Automatic
Cord Length	63"	61"	63"	61"	63"	63"	63"	63"	63"	63"	60"	63"	63"

UNIT DIMENSIONS

Width	17 11/16" (45.0 cm)	15 1/8" (38.4 cm)	17 11/16" (44.9 cm)	18 11/16" (47.4 cm)	17 11/16" (45.0 cm)	17 11/16" (45.0 cm)	20 11/16" (52.6 cm)	17 11/16" (45.0 cm)	17 1/2" (44.5 cm)	17 11/16" (44.9 cm)	18 7/8" (48.0 cm)	17 11/16" (45.0 cm)	20 11/16" (52.6 cm)
Height	20 1/16" (51.0 cm)	19 1/16" (49.0 cm)	19 13/16" (50.3 cm)	24 15/16" (63.3 cm)	26 15/16" (68.5 cm)	33 1/16" (84.0 cm)	32 11/16" (83.1 cm)	20 1/4" (54.0 cm)	27 1/8" (68.9 cm)	19 1/4" (50.1 cm)	33 7/16" (85.0 cm)	32 11/16" (83.1 cm)	32 11/16" (83.1 cm)
Depth	20 1/16" (51.0 cm)	16 1/8" (41.0 cm)	17 11/16" (44.9 cm)	17" (43.2 cm)	20 1/16" (51.0 cm)	20 1/16" (51.0 cm)	20 7/8" (53.0 cm)	19 11/16" (50.0 cm)	19 11/16" (50.0 cm)	18 1/2" (47.0 cm)	19 11/16" (50.0 cm)	18 1/2" (47.0 cm)	20 7/8" (53.0 cm)
Weight	40.4 lbs (18.3 kg)	30.86 lbs (14.0 kg)	34.2 lbs (15.5 kg)		45.7 lbs (20.7 kg)	51.7 lbs (23.5 kg)	57.8 lbs (26.2 kg)	43.4 lbs (19.7 kg)	56.9 lbs (23.6 kg)	37.2 lbs (16.87 kg)	50.7 lbs (23.0 kg)	47.4 lbs (21.5 kg)	57.8 lbs (26.3 kg)






CARTON DIMENSIONS

Width	18 1/8" (46.0 cm)	16 1/8" (41.0 cm)	18 1/8" (46.0 cm)	19 11/16" (50.0 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	22 1/4" (56.5 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)	19 11/16" (50.0 cm)	18 1/8" (46.0 cm)	22 1/16" (56.5 cm)
Height	21 7/16" (54.5 cm)	20 11/16" (52.6 cm)	20 7/8" (53.0 cm)	26 6/16" (67.0 cm)	21 1/8" (71.5 cm)	34 5/8" (88.0 cm)	34 5/8" (88.0 cm)	21 1/4" (54.0 cm)	28 1/16" (71.2 cm)	20 7/8" (53.0 cm)	34 13/16" (88.5 cm)	34 1/16" (86.5 cm)	34 5/8" (88.0 cm)
Depth	21 1/4" (54.0 cm)	17 5/16" (44.0 cm)	19 5/16" (49.0 cm)	18 5/16" (46.5 cm)	21 1/4" (54.0 cm)	21 1/4" (54.0 cm)	22 5/8" (57.5 cm)	21 1/4" (54.0 cm)	21 1/4" (54.0 cm)	19 11/16" (50.0 cm)	21 1/4" (54.0 cm)	19 11/16" (50.0 cm)	22 5/8" (57.5 cm)
Weight	44.1 lbs (20.0 kg)	34.17 lbs (15.5 kg)	38.6 lbs (17.5 kg)	44.1 lbs (20.0 kg)	50.2 lbs (22.8 kg)	56.6 lbs (25.7 kg)	64.4 lbs (29.2 kg)	48.3 lbs (21.9 kg)	56.9 lbs (25.8 kg)	40.5 lbs (18.35 kg)	55.1 lbs (25.0 kg)	52.4 lbs (23.4 kg)	64.3 lbs (25.0 kg)

MISCELLANEOUS






Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes
Energy (kWh/year)	221	241	245	208	253	259	268	328.5	401.5	207	319	218	226
R600a	Yes	Yes	Yes	Yes	Yes	Yes	Yes			Yes	Yes	Yes	Yes
Warranty	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor






Specifications



	Mid-Size Refrigerators			Full-Size	Specialty Refrigerators		
	DPF074B2BSLDB	DBMF100B1SLDB	DFF101B1BS5DB	DFF103A4WDB	DFF180E2SSDB	DFF092C1BSLDB	DFF101B1BS5DB
Capacity	7.4 cu. ft. (209.5 L)	10.0 cu. ft. (283 L)	10.1 cu. ft. (291.5 L)	10.3 cu. ft. (292.3 L)	18. cu. ft. (511 L)	9.2 cu. ft. (260 L)	10.1 cu. ft. (290 L)
Freezer Type/Capacity	Top mount 1.3 cu. ft. (37.2 L)	Bottom mount 3.1 cu. ft. (86.7 L)	Top mount 2.4 cu. ft. (68.0 L)	Top mount 2.37 cu. ft. (67.1 L)	Top mount 4.1 cu. ft. (115 L)	Bottom mount 2.37 cu. ft. (67.1 L)	Top mount 2.37 cu. ft. (67.1 L)
Exterior Color							
Interior Color							
Reversible Hinge	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Handle Type	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Full Shelves	3	2	2	2	3	2	2
Half Shelves	0	0	0	0	0	0	0
Door Shelves	3 full	3 full	4 full	4 full	2 full, 3 1/2 width	1 full, 2 3/4 width	4 full
Crisper	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Upright 2-Liter Bottle Storage	Yes	Yes	Yes	Yes	Yes	Yes	Yes
CanStor Beverage Dispenser	Yes	Yes	No	No	No	No	No
Defrost	Manual	Automatic	Frost Free	Frost Free	Frost Free	Automatic	Frost Free
Cord Length	71"	63"	63"	68"	63"	71"	63"
UNIT DIMENSIONS							
Width	21 13/16" (55.4 cm)	23 11/16" (60.2 cm)	23 3/4" (60.0 cm)	23 3/4" (60.0 cm)	29 1/2" (74.9 cm)	23 13/16" (60.5 cm)	23 7/16" (59.53 cm)
Height	56 5/16" (143.0 cm)	73 13/16" (187.5 cm)	58 5/8" (149.1 cm)	58 5/8" (149.1 cm)	64 7/8" (164.8 cm)	59 13/16" (151.9 cm)	59 1/2" (151.1 cm)
Depth	21 14/16" (55.5 cm)	23 10/16" (60.0 cm)	26 3/4" (68.0 cm)	27" (68.6 cm)	32 13/16" (83.3 cm)	26 7/16" (67.1 cm)	26 1/8" (66.36 cm)
Weight	83.78 lbs (38.0 kg)	124.3 lbs (56.4 kg)	135.0 lbs (61.2 kg)	135.0 lbs (61.2 kg)	176.37 lbs (80.0 kg)	125.7 lbs (57.0 kg)	121.25 lbs (55.0 kg)
CARTON DIMENSIONS							
Width	22 10/16" (57.5 cm)	25 3/16" (64.0 cm)	25 9/16" (65.4 cm)	25 9/16" (65.4 cm)	30 11/16" (78.0 cm)	25 9/16" (65.4 cm)	25 5/8" (65.09 cm)
Height	57 14/16" (147.0 cm)	76 5/16" (193.9 cm)	60 1/4" (153.0 cm)	60 1/4" (153.0 cm)	69 7/8" (177.5 cm)	62 3/8" (158.4 cm)	62 5/8" (159.07 cm)
Depth	23 4/16" (59.0 cm)	25 3/16" (64.0 cm)	29 1/4" (74.3 cm)	29 1/4" (74.3 cm)	32 11/16" (83.1 cm)	28 3/4" (73.0 cm)	27 15/16" (70.96 cm)
Weight	92.6 lbs/ 42.0 kg	138.9 lbs/ 63.0 kg	144.0 lbs/ 65.3 kg	158.0 lbs/ 71.7 kg	198.42 lbs/ 90.0 kg	138.9 lbs/ 63.0 kg	132.28 lbs/ 60.0 kg
MISCELLANEOUS							
Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Energy (kWh/year)	342	384	297	342	398	374	330
R600a	Yes	Yes	No	No	No	Yes	No
Warranty	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor	24 months parts & labor

For more information, visit www.MicroFridge.com

























Specifications

Specialty Appliances					
	DER202BSS	DR202BSSGLP	MFSAFE01	DBC117A1BSSDB-6	DWC018A1BDB
Capacity	2.3 cu. ft. oven capacity	2.3 cu. ft. oven capacity	N/A	3.1 cu. ft./88 liters	16 (750ml) bottles
Temp. Range			N/A	2°C-10°C (35.6°F 50°F)	6°C-14°C (43°F - 57°F)
Exterior Color					
Full Shelves	2	2	0	2	1
Half Shelves	0	0	0	0	1
Door handle	Integrated	Integrated	N/A	Side Pocket	Side Pocket
Interior Light	No	No	No	Yes	Yes
Reversible Door Hinge	No	No	No	Yes	Yes
Door Lock	N/A	N/A	Yes	Yes	No
UNIT DIMENSIONS					
Width	23 10/16" (60.0 cm)	19 3/4" (50.2 cm)	7 7/8" (19.7 cm)	17 1/2" (44.5 cm)	17 1/2" (44.5 cm)
Height	32 1/2" (82.5 cm)	41 3/4" (106.0 cm)	17 9/16" (51.0 cm)	32 13/16" (83.3 cm)	20 1/16" (51.0 cm)
Depth	22 13/16" (82.5 cm)	23 3/4" (60.4 cm)	16 9/16" (40.2 cm)	19 11/16" (50.0 cm)	19 7/8" (50.5 cm)
CARTON DIMENSIONS					
Width	26 3/8" (67.0 cm)	22 5/16" (56.7 cm)	10 13/16" (27.5 cm)	19 5/16" (49.0 cm)	18 1/8" (49.0 cm)
Height	35 7/16" (90.0 cm)	42 7/8" (108.8 cm)	20 1/2" (54.0 cm)	35 13/16" (91.0 cm)	21 5/8" (54.9 cm)
Depth	26 3/8" (67.0 cm)	29 1/16" (73.8 cm)	18 3/4" (47.7 cm)	22 1/4" (56.5 cm)	21 5/8" (55.0 cm)
Weight	78.26 lbs / 28 kg	69.7 lbs / 31.6 kg	120.70 lbs / 54.8 kg	72.75 lbs / 33.0 kg	51.81 lbs / 23.5 kg
MISCELLANEOUS					
Energy Star Rated	Yes	No	No	No	No
Warranty	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor
Cord Length	No powercord supplied	No powercord supplied	N/A	61"	61"

Microwaves					
	DBMW0720BBB	DBMW0721BBS	DBMW0920BBB	DBMW1120BBB	DBMW1125BBS
Cook Power	700 watts	700 watts	900 watts	1000 watts	1000 watts
Capacity	0.7 cu. ft. (20 L)	0.7 cu. ft. (20L)	0.9 cu. ft. (25 L)	1.1 cu. ft. (31 L)	1.1 cu. ft. (31L)
Controls	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad	Elect. Touch pad
Power Levels	10	10	10	10	10
Simple One Touch Cooking	Yes	Yes	Yes	Yes	Yes
Automatic Oven Light	Yes	Yes	Yes	Yes	Yes
Turntable	Yes	Yes	Yes	Yes	Yes
Exterior Color					
Cord Length	59"	41"	41"	41"	41"
UNIT DIMENSIONS					
Width	17 5/16" (44.0 cm)	17 15/16" (45.5 cm)	19 1/8" (48.58 cm)	20 3/16" (51.28 cm)	20 3/16" (51.3 cm)
Height	10 3/16" (25.9 cm)	10 3/16" (25.88 cm)	11 9/16" (29.37 cm)	12 1/16" (30.64 cm)	12 1/16" (30.7 cm)
Depth	13 1/16" (33.1 cm)	13" (33.02 cm)	14 9/16" (36.99 cm)	15 3/4" (40.01 cm)	15 13/16" (40.1 cm)
Weight	23.15 lbs/ 10.5 kg	23.81 lbs/ 10.8 kg	29.98 lbs/ 13.6 kg	36.38 lbs/ 16.5 kg	36.18 lbs/ 16.4 kg
CARTON DIMENSIONS					
Width	19 3/16" (48.8 cm)	21 1/8" (53.6 cm)	21 1/8" (53.6 cm)	22 13/16" (57.9 cm)	22 13/16" (57.9 cm)
Height	11 7/16" (29.1 cm)	13" (33.0 cm)	13" (33.0 cm)	14 1/4" (36.2 cm)	14 1/4" (36.2 cm)
Depth	14 15/16" (38.0 cm)	16 5/16" (41.5 cm)	16 5/16" (41.5 cm)	18 1/8" (46.0 cm)	18 1/8" (46.0 cm)
Weight	23.15 lbs/ 10.5 kg	23.8 lbs/ 10.8 kg	29.87 lbs/ 13.6 kg	36.38 lbs/ 16.8 kg	36.18 lbs/ 16.4 kg
MISCELLANEOUS					
Warranty	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor	24 months parts and labor

Dishwashers		
	DDW2404EBSS	DDW1804EBSS
Capacity	12 place setting	8 place setting
Temp. Range	122°F(50°C),131°F(55°C), 140°F (60°C),149°F (65°C)	122°F(50°C),131°F(55°C), 140°F (60°C),149°F (65°C)
Exterior Color		
Full Shelves	N/A	N/A
Half Shelves	N/A	N/A
Door handle	Integrated	Integrated
Indicator Light	Yes	Yes
Reversible Door Hinge	No	No
Door Lock	N/A	N/A
UNIT DIMENSIONS		
Width	23 10/16" (60.0 cm)	17 11/16" (45.0 cm)
Height	32 1/2" (82.5 cm)	32 1/2" (82.5 cm)
Depth	22 13/16" (82.5 cm)	22 13/16" (82.5 cm)
CARTON DIMENSIONS		
Width	26 3/8" (67.0 cm)	20 11/16" (52.5 cm)
Height	35 7/16" (90.0 cm)	35 7/16" (90.0 cm)
Depth	26 3/8" (67.0 cm)	26 3/8" (67.0 cm)
Weight	78.26 lbs / 28 kg	66.14 lbs / 30 kg
MISCELLANEOUS		
Energy Star Rated	Yes	Yes
Warranty	24 months parts and labor	24 months parts and labor
Cord Length	Hard Wired	Hard Wired

Specifications

	MicroFridge®			Danby® One Plug by MicroFridge®		
	2.3MF4-7B1	3.1MF7-7B1	2.6SM4-7A1	3.1SM6-7A1	3.2SM4A-7A1	3.3SM4-7A1
CAPACITY						
Refrigerator	2.3 cu. ft. /64.6 liters	2.2 cu. ft. /62.1 liters	2.6 cu. ft. /73.0 liters	2.2 cu. ft. /62 liters	3.2 cu. ft. /92liters	3.3 cu. ft. /93.5 liters
Freezer	N/A	0.87 cu. ft. /24.7 liters	N/A	0.90 cu. ft. /24.7 liters	N/A	N/A
Total Volume	2.3 cu. ft. / 64.6 liters	3.1 cu. ft. / 87.0 liters	2.6 cu. ft. / 73.0 liters	3.1cu. ft. / 87.0 liters	3.2 cu. ft. / 92liters	3.3 cu. ft. / 93.5 liters
FREEZER FEATURES						
Type	N/A	True Zero-Degree	N/A	True Zero-Degree	Ice Compartment	N/A
Defrost	N/A	Manual	N/A	N/A	N/A	N/A
Shelves	N/A	N/A	N/A	N/A	N/A	N/A
Door Shelves	N/A	1 full-width	N/A	N/A	N/A	N/A
Ice Cube Tray	No	No	No	No	No	No
REFRIGERATOR SPECIFICATIONS						
Exterior Color						
Interior Color						
Reversible Door Hinge	Yes	Yes	Yes	Yes	Yes	Yes
Tri-Panel Door	Yes	Yes	No	No	No	No
Handle Type	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed
Full Shelves	2	1	2	1	2	1
Half Shelves	0	0	0	0	0	3
Door Shelves	2 half-shelves	2 ¾ half-shelves	2 ¾ width shelves	2 ¾ width shelves	1 full, 2 ¾ width shelves	1 full, 2 ¾ width shelves
Crisper	No	Yes	No	Yes	No	No
Upright 2-liter	Yes	Yes	Yes	Yes	Yes	Yes
Defrost	Auto-defrost	Manual	Automatic	Manual	Automatic	Automatic
Leveling Legs	Yes	Yes	Yes	Yes	Yes	Yes
Width (W)	18 10/16" (47.3 cm)	18 11/16" (47.5 cm)	17 11/16" (44.9 cm)	18 11/16" (47.5 cm)	17 11/16" (44.9 cm)	17 11/16" (44.9 cm)
Height (H)	25" (63.5 cm)	33 7/16" (85 cm)	26 10/16" (67.6 cm)	33 7/16" (85 cm)	32 11/16" (83.1 cm)	32 11/16" (83.1 cm)
Depth (D)	19 13/16" (50.4 cm)	20 3/16" (51.1 cm)	20 1/16" (51 cm)	19 11/16" (50 cm)	18 1/2" (47 cm)	20 1/16" (51 cm)
Product Weight	44 lbs (20.0 kg)	56 lbs (25.4 kg)	46.34 lbs (21.0 kg)	55.1 lbs (25 kg)	48.7 lbs (22.08 kg)	51.81 lbs (23.5 kg)
Shipping Weight	49 lbs (22.2 kg)	67 lbs (30.3 kg)	50.33 lbs (22.83 kg)	59.5 lbs (27 kg)	53.1 lbs (24.09 kg)	56.84 lbs (25.78 kg)
MICROWAVE SPECIFICATIONS						
Power	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz	120 V/60 Hz
Cook Power	700 watts	700 watts	700 watts	700 watts	700 watts	700 watts
Capacity (cu. ft.)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)	0.7 cu. ft. (19.8 liters)
Controls	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
Exterior Color						
Interior Color						
Width (W)	18 7/16" (46.0 cm)	18 7/16" (46.0 cm)	17 13/16" (45.2 cm)	17 13/16" (45.2 cm)	17 13/16" (45.2 cm)	17 13/16" (45.2 cm)
Height (H)	10 9/16" (27.0 cm)	10 9/16" (27.0 cm)	10 5/16" (26.2 cm)	10 5/16" (26.2 cm)	10 5/16" (26.2 cm)	10 5/16" (26.2 cm)
Depth without handle (D)	14 7/16" (36.6 cm)	14 7/16" (36.6 cm)	13 14/16" (35.2 cm)	13 14/16" (35.2 cm)	13 14/16" (35.2 cm)	13 14/16" (35.2 cm)
Product Weight	26.5 lbs (12.0 kg)	26.5 lbs (12.0 kg)	23.1 lbs (10.5 kg)	23.1 lbs (10.5 kg)	23.1 lbs (10.5 kg)	23.1 lbs (10.5 kg)
Shipping Weight	28.2 lbs (12.8 kg)	28.2 lbs (12.8 kg)	25.4 lbs (11.5 kg)	25.4 lbs (11.5 kg)	25.4 lbs (11.5 kg)	25.4 lbs (11.5 kg)
MISCELLANEOUS						
Combination Dimensions H x W x D	35 3/16"(90.5 cm) H x 18 11/16"(47.3 cm) W x 19 13/16"(50.3cm) D	44"(111.76 cm) H x 18 11/16"(47.4 cm) W x 19 11/16"(50.0cm) D	36 15/16"(93.8cm) H x 17 11/16"(45.2 cm) W x 20 1/16"(50.9 cm) D	43"(111.1cm) H x 17 13/16"(45.2 cm) W x 19 11/16"(50.0 cm) D	43"(109.2 cm) H x 17 13/16"(45.2 cm) W x 20 1/16"(50.9 cm) D	43"(109.2 cm) H x 17 13/16"(45.2 cm) W x 20 1/16"(50.9 cm) D
Energy (kWh/year)	223	195	228	199	259	259
Energy Star Rated	Yes	Yes	Yes	Yes	Yes	Yes
Warranty	7-Year with on-site service	7-Year with on-site service	5-Year with on-site service	5-Year with on-site service	5-Year with on-site service	5-Year with on-site service
Cord Length	66"	63"	63"	63"	63"	63"

For more information, visit www.MicroFridge.com

Specifications

Air Purifiers			
	DAP143BAB-UV	DAP143BAW-UV	DAP290BAW
Coverage Area (Sq. Ft.)	210	210	450
Filter Type	HEPA/ Active Carbon	HEPA/ Active Carbon	HEPA
Maximum Room Size	210	210	450
Number of Speeds	3	3	4
Remote Control	No	No	No
Type of Allergens Removed	Tobacco Smoke, Dust, Pollen	Tobacco Smoke, Dust, Pollen	Tobacco Smoke, Dust, Pollen
Tobacco Smoke CADR	135	135	290
Dust CADR	135	135	265
Pollen CADR	195	195	280
Decibels	1: 32dB, 2: 46dB, 3: 54dB	1: 32dB, 2: 46dB, 3: 54dB	1: 35dB, 2: 45dB, 3: 50dB, 4: 56dB
PM2.5	No	No	Yes
UNIT DIMENSIONS			
Width	6 14/16" (17.55 cm)	6 14/16" (17.55 cm)	12 3/16" (31.0 cm)
Height	26 9/16" (67.5 cm)	26 9/16" (67.5 cm)	26 12/16" (68.0 cm)
Depth	10 1/16" (25.6 cm)	10 1/16" (25.6 cm)	12 3/16" (31.0 cm)
Weight	12.79 lbs (5.8 kg)	12.79 lbs (5.8 kg)	21.83 lbs (9.9 kg)
CARTON DIMENSIONS			
Width	9 15/16" (25.2 cm)	9 15/16" (25.2 cm)	14 7/16" (36.7 cm)
Height	30.0" (76.2 cm)	30.0" (76.2 cm)	31 4/16" (79.4 cm)
Depth	13 1/16" (33.2 cm)	13 1/16" (33.2 cm)	14 15/16" (38.0 cm)
Weight	15.87 lbs/7.2 kg	15.87 lbs/7.2 kg	26.68 lbs/12.1 kg
MISCELLANEOUS			
Energy Star Rated	Yes	Yes	Yes
Warranty	24 months parts & labor	24 months parts & labor	24 months parts & labor

For more information, visit www.MicroFridge.com

PTACs				
	DPTA090HEB1WDB	DPTA120HEB1WDB	DPTA150HEB1WDB	DPSL120B1W
Square Feet	350-400	450-500	550-700	Req. Ins.
Description	9000 BTU PTAC with heat pump	12000 BTU PTAC with heat pump	15000 BTU PTAC with heat pump	PTAC Sleeve -No Grill
Type	PTAC	PTAC	PTAC	PTAC
Cooling Capacity	8,800/8,500	12,000/11,800	14,700/14,500	
ERR	12.8	11.6	10.5	
Heating Capacity	7,800/7,500	10,800/10,500	13,500/13,200	
COP	3.8	3.4	3.2	
Net Weight	109	115	117	
Sound Pressure	51.5/52.5	51/51.4	52/53	
Air Circulation	321/356/387	304/355/398	312/345/374	
Dehum Function	No	No	No	Required for installation: Architectural grill not supplied
Power Supply	208-230/60/1	208-230/60/1	208-230/60/1	
Rated Amps (Cooling)	2.99/3.23	4.50/4.89	6.03/6.58	
Rated Amps (Heating)	2.64/2.82	4.05/4.36	5.38/5.82	
Cooling Power Input	680/665	1035/1020	1390/1370	
Heating Power Input	600/580	930/905	1237/1209	
UNIT DIMENSIONS				
Width	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)	42.01" (106.7 cm)
Height	15.98" (40.6 cm)	15.98" (40.6 cm)	15.98" (40.6 cm)	16.06" (40.8 cm)
Depth	20.94" (53.2 cm)	20.94" (53.2 cm)	20.94" (53.2 cm)	14.8" (37.6 cm)
Weight	109.57 lbs (49.70 kg)	115.74 lbs (52.5 kg)	116.6 lbs (52.9 kg)	26.01 lbs (11.8 kg)
CARTON DIMENSIONS				
Width	44.49" (113.0 cm)	44.49" (113.0 cm)	44.49" (113.0 cm)	43.5" (110.5 cm)
Height	19.29" (49.0 cm)	19.29" (49.0 cm)	19.29" (49.0 cm)	6.30" (16.0 cm)
Depth	24.61" (62.5 cm)	24.61" (62.5 cm)	24.61" (62.5 cm)	16.34" (41.5 cm)
Weight	120.59 lbs/54.7 kg	126.77 lbs/57.5 kg	129.41 lbs/58.7 kg	31.09 lbs/14.1 kg

- Models have an optional fresh air intake to replace stagnant air.
- Regular operating temperatures for outside air 30 (86) cooling; 29 (84) heating
- Standard 208/230V, grounded receptacle 6-20p plug is supplied.

