



55"/50"/43"


* All images in this document are for illustrative purposes only.

Commercial TV UK560H Series

Commercial Lite **Pro:Centric Enhanced** Pro:Centric Smart



NanoCell[®] Hospitality TV with Pro:Centric[®] Direct

 Nano Panel

 4K UHD

 Pro:Centric Direct

 USB Cloning


| UK560H Series | | |
|---------------------|------------|--|
| Design | Stand Type | 1 Pole Swivel |
| Display | Sizes | 55", 50", 43" |
| | Resolution | 3,840 x 2,160 (4K UHD) |
| Broadcasting System | Digital | ATSC / Clear QAM |
| | Analog | NTSC |
| VESA | | [43"] 200 x 200 mm [50"] 200 x 200 mm [55"] 300 x 300 mm |



LG NanoCell

Nano Panel

Experience the revolutionary technology of NanoCell, which uses a specialized polarizer and non-sized materials to achieve exceptional color reproduction without distortion. Advanced nano technology filters out impure colors from RGB wavelengths, delivering vibrant, pure colors and true 4K visuals. Enjoy lifelike imagery with precise colors and enhanced contrast. By utilizing nano-sized light-absorbing materials, NanoCell separates overlapping green and red wavelengths, expanding the color gamut. Elevate your viewing experience and watch your favorite content come to life!



Pro:Centric Direct

The hotel content management solution Pro:Centric Direct offers easy and simple editing tools, making it easy to perform service and IP network-based remote management with a single click.* The Pro:Centric Direct solution enables users to edit their interface easily by providing customized interface and efficiently manages all TVs in the room. The latest PCD version provides IoT-based in-room control as well as voice control function through LG Natural Language Processing (NLP). These IoT and voice-related functions will be your starting point to prepare for the hotel rooms of next generation through artificial intelligence.

* Some features may not be supported based on PCD versions.




USB Cloning

USB data cloning makes managing multiple displays more efficient for optimal operation. Instead of setting up each display one by one, data can be copied to a USB for one display and can be sent to the other displays through a USB plug-in.




Pro:Idiom

Digital Rights Management (DRM) technology provides access to premium content to help assure rapid and broad deployment of HDTV and other high-value digital content.



Multi-code IR

Multi-code IR function eliminates any remote-control signal interaction between multiple TVs in one place. LG hospital TV supports this when used with a Multi-code IR remote control (sold separately), so users can freely control their own TVs without disturbing the others.




Ez-Manager

Ez-Manager provides a convenient installation function automatically set up for Pro:Centric TV that provides less effort and process than manual installation.

CONNECTIVITY

UK560H

Rear









Side



DIMENSIONED DRAWINGS

UK560H Series



SPECIFICATIONS

| | | 55UK560H0UA | 50UK560H0UA | 43UK560H0UA |
|----------------------|--------------------------------------|------------------------------|------------------------------|------------------------------|
| DISPLAY | Category | Pro:Centric Enhanced | Pro:Centric Enhanced | Pro:Centric Enhanced |
| | Size | 55" | 50" | 43" |
| | Resolution | 4K Ultra HD (3,840 x 2,160) | 4K Ultra HD (3,840 x 2,160) | 4K Ultra HD (3,840 x 2,160) |
| | Brightness (Typ.) | 305 nits | 330 nits | 245 nits |
| VIDEO | HDR_HDR 10 Pro | YES | YES | YES |
| | HDR_HLG (Hybrid Log Gamma) | YES | YES | YES |
| | Game Optimizer | YES | YES | YES |
| AUDIO | Speakers | 20W | 20W | 20W |
| | AI Sound | YES | YES | YES |
| BROADCAST | Digital | ATSC / Clear QAM | ATSC / Clear QAM | ATSC / Clear QAM |
| | Analog | NTSC | NTSC | NTSC |
| HOSPITALITY SOLUTION | Solution Type | Pro:Centric (Direct, V) | Pro:Centric (Direct, V) | Pro:Centric (Direct, V) |
| | Pro:Idiom (DRM / Media) | YES | YES | YES |
| SMART FEATURES | webOS version | webOS 25 | webOS 25 | webOS 25 |
| | Mood Display (UK560H only) | YES | YES | YES |
| | HDMI eARC/ARC | YES (HDMI2) | YES (HDMI2) | YES (HDMI2) |
| HOSPITALITY FEATURES | EZ-Manager | YES | YES | YES |
| | USB Cloning | YES | YES | YES |
| | Wake on RF | YES | YES | YES |
| | Diagnostics | YES (Self Diagnostics (USB)) | YES (Self Diagnostics (USB)) | YES (Self Diagnostics (USB)) |
| | HTNG-CEC (Version) | YES (1.4) | YES (1.4) | YES (1.4) |
| | Simplink (HDMI-CEC) (Version) | YES (1.4) | YES (1.4) | YES (1.4) |
| | IR Out | YES (RS-232C, MPI) | YES (RS-232C, MPI) | YES (RS-232C, MPI) |
| | Multi-code IR | YES | YES | YES |
| | Installer Menu | YES | YES | YES |
| | Welcome Screen (Splash Image) | YES | YES | YES |
| | Insert Image | YES | YES | YES |
| | One Channel Map | YES (LCM) | YES (LCM) | YES (LCM) |
| | External Speaker Out / Line Out | YES / YES | YES / YES | YES / YES |
| | Instant ON | YES | YES | YES |
| | Port Block | YES | YES | YES |
| | Lock mode | YES (Limited) | YES (Limited) | YES (Limited) |
| | RJP (Remote Jack Pack) Compatibility | YES | YES | YES |
| | Energy Saving mode | YES | YES | YES |
| | Lock mode | YES (Limited) | YES (Limited) | YES (Limited) |
| | Energy Saving mode | YES | YES | YES |

SPECIFICATIONS

| | | 55UK560H0UA | 50UK560H0UA | 43UK560H0UA |
|--------------------------------------|---------------------------------|---|---|---|
| CONNECTIVITY | Rear | | | |
| | LAN (RJ45) (Usage Purpose) | YES (x2) (Ethernet, Aux) | YES (x2) (Ethernet, Aux) | YES (x2) (Ethernet, Aux) |
| | MPI (RJ12) | YES | YES | YES |
| | Optical Digital Audio Out | YES | YES | YES |
| | HDMI In | Yes (HDMI 1) | Yes (HDMI 1) | Yes (HDMI 1) |
| | Antenna/Cable In (Coax) | YES | YES | YES |
| | Side | | | |
| | HDMI In | YES (HDMI 2, HDMI 3) | YES (HDMI 2, HDMI 3) | YES (HDMI 2, HDMI 3) |
| | Service Only | YES (3.5mm TRS) | YES (3.5mm TRS) | YES (3.5mm TRS) |
| | USB 2.0 | YES | YES | YES |
| | RS-232C (Control & Service) | YES (3.5mm TRRS) | YES (3.5mm TRRS) | YES (3.5mm TRRS) |
| | External Speaker Out / Line Out | Yes (Stereo) | Yes (Stereo) | Yes (Stereo) |
| | MECHANICAL | Stand Type | 1 Pole (Swivel) | 1 Pole (Swivel) |
| Front Color | | Charcoal Black | Charcoal Black | Charcoal Black |
| VESA Compatible | | 300 x 300 mm | 200 x 200 mm | 200 x 200 mm |
| Kensington Lock | | YES | YES | YES |
| Credenza/Security Aperture | | YES (Stand Required) | YES (Stand Required) | YES (Stand Required) |
| Security Lock Down Plate | | YES (Stand Required) | YES (Stand Required) | YES (Stand Required) |
| Dimensions with Stand (W x H x D) | | 48.6 x 30.6 x 11.9 in. 1235 x 777 x 303 mm | 44.1 x 28.1 x 11.9 in. 1121 x 713 x 303 mm | 38.1 x 24.5 x 11.9 in. 967 x 623 x 303 mm |
| Dimensions without Stand (W x H x D) | | 48.6 x 28.1 x 2.3 in. 1235 x 715 x 57.5 mm | 44.1 x 25.6 x 2.2 in. 1121 x 651 x 57.1 mm | 38.1 x 22.2 x 2.2 in. 967 x 564 x 57.1 mm |
| Shipping Dimensions (W x H x D) | | 53.5 x 31.9 x 6.4 in. 1360 x 810 x 162 mm | 47.8 x 30.5 x 6.0 in. 1215 x 775 x 152 mm | 41.5 x 26.0 x 5.6 in. 1055 x 660 x 142 mm |
| On-Bezel Width (L / R / T / B) | | 12.8 / 12.8 / 12.8 / 19.9 mm | 12.8 / 12.8 / 12.8 / 19.9 mm | 12.8 / 12.8 / 12.8 / 19.9 mm |
| Off-Bezel Width (L / R / T / B) | | 6.9 / 6.9 / 6.9 / 18.4 mm | 7.3 / 7.3 / 7.8 / 18.4 mm | 6.9 / 6.9 / 6.9 / 18.4 mm |
| Weight with Stand | | 37.9 lbs. / 17.2 kg | 33.7 lbs. / 15.3 kg | 26.5 lbs. / 12.0 kg |
| Weight without Stand | | 30.9 lbs. / 14.0 kg | 26.7 lbs. / 12.1 kg | 19.4 lbs. / 8.8 kg |
| Shipping Weight | | 49.2 lbs. / 22.3 kg | 41.0 lbs. / 18.6 kg | 34.0 lbs. / 15.4 kg |
| ELECTRICAL | | Power Supply | 120 Vac, 50/60 Hz | 120 Vac, 50/60 Hz |
| | Max Power Consumption | 160 W | 135 W | 110 W |
| | Typical Power Consumption | 130 W | 110 W | 91.5 W |
| | Standby Power Consumption | Less than 0.5 W | Less than 0.5 W | Less than 0.5 W |
| WARRANTY & OTHER | Warranty | 3 Year Limited | 3 Year Limited | 3 Year Limited |
| | UPC | 1 95174 12990 6 | 1 95174 13237 1 | 1 95174 13174 9 |
| | Regulatory | FCC | FCC | FCC |
| | Remote Control Type | Regular S-Con Included / MMR available for purchase | Regular S-Con Included / MMR available for purchase | Regular S-Con Included / MMR available for purchase |
| | Power Cable | YES (1.8M / Straight Type) | YES (1.8M / Straight Type) | YES (1.8M / Straight Type) |

866.211.6770 • adcommtv.com


Experience. Innovation

* Specifications are subject to change without notice. Please make sure to check the product manual for details about product usage.



 #LoveWhatYouSeeLG @LGforBusinessUSA

Copyright 2026 ©LG Electronics USA, Inc., 2000 Millbrook Drive Lincolnshire, IL 60069, USA. All rights reserved. LG and the LG logo are registered trademarks of LG Corp. All other products and brand names are trademarks or registered trademarks of their respective companies. Designs, features, and specifications are subject to change without notice. All screen images are simulated for illustrative purposes only. SPEC_UK560H_0126_4.0A

